

CONFLUO BLACK GLASS, WHITE GLASS, CERAMIC 1



CONFLUO BLACK GLASS, WHITE GLASS, CERAMIC 1


CONFLUO STANDARD drain “BLACK/WHITE GLASS/CERAMIC 1” made of PP with no side inlets, with one horizontal DN 50mm outlet adjustable under the angle of maximum 15°, minimum installation height of 78mm and flow rate of 48l/min. Base of drain with a socket (siphon), which can be removed, water sealing height of 34mm, with hoop and flange for hydroisolation, which also can be removed if necessary, height-adjustable carrier of a grid and hair stopper.






Stainless steel mask and black/white glass or ceramic holder, dimensions of 144x144 mm..

IMPORTANT TECHNICAL INFORMATION	
Minimum installation height	78mm
Flow rate	48 l/min
Outlet	Ø50
Water seal height	34 mm
Grid load class (by EN 1253)	K3 with stand 300 kg of pressure
Body material	PP

DRAIN ADVANTAGE:


- Adjustable angle by 15°
- Base rotation 360°
- Installation in the corner of the bathroom
- Easy installation and maintenance
- High flow rate





Hydroisolation flange optional

CODE	NAME	WEIGHT	BOX DIMENSIONS
13000089	CONFLUO "BLACK GLASS 1 LARGE" 15X15	1,494kg	300mmx200mmx250mm
13000093	CONFLUO "WHITE GLASS 1 LARGE" 15X15	1,494kg	300mmx200mmx250mm
13000085	CONFLUO "CERAMIC 1 LARGE" 15X15	1,064kg	300mmx200mmx250mm
13000187	CONFLUO STANDARD DRAIN "BLACK GLASS 1"	1,390kg	300mmx200mmx250mm
13000183	CONF "WHITE GLASS 1 LARGE" 15X15 NO FLNG	1,390kg	300mmx200mmx250mm
13000191	CONFLUO "CERAMIC 1 LARGE" 15X15 NO FLNG	0,960kg	300mmx200mmx250mm



 PEŠTAN

1300 Kaplara br. 189
34301 Bukovik, Aranđelovac
Srbija

office@pestan.net
www.pestan.net

Centrala: +381 (0) 34/700-300
Komerijala: +381 (0) 34/700-336
+381 (0) 34/700-306
+381 (0) 34/700-338