

CONFLUO BLACK GLASS, WHITE GLASS, CERAMIC 4



CONFLUO BLACK GLASS, WHITE GLASS, CERAMIC 4


CONFLUO STANDARD drain “BLACK/WHITE GLASS/CERAMIC 4” made of PP with three horizontal side inlets DN40 and with one horizontal DN 50mm outlet adjustable under the angle of maximum 15°, minimum installation height of 71mm and flow rate of 48l/min. Base of drain with a socket (siphon), which can be removed, water sealing height of 34mm, with hoop and flange for hydroisolation, which also can be removed if necessary, height-adjustable carrier of a grid and hair stopper.








Stainless steel mask and black(white) glass or ceramic holder, dimensions of 144x144 mm.

IMPORTANT TECHNICAL INFORMATION	
Minimum installation height	71mm
Flow rate	48 l/min
Outlet	Ø50
Grid load class (by EN 1253)	K3 with stand 300 kg of pressure
Water seal height	28 mm
Body material	PP

DRAIN ADVANTAGE:



- Adjustable angle by 15°
- Base rotation 360°
- Installation in the corner of the bathroom
- Easy installation and maintenance
- High flow rate





Hydroisolation
flange optional

CODE	NAME	WEIGHT	BOX DIMENSIONS
13000092	CONFLUO "BLACK GLASS 4 LARGE" 15X15	1,436kg	300mmx200mmx250mm
13000096	CONFLUO "WHITE GLASS 4 LARGE" 15X15	1,432kg	300mmx200mmx250mm
13000088	CONFLUO "CERAMIC 4 LARGE" 15X15	1,014kg	300mmx200mmx250mm
13000190	CONF "BLACK GLASS 4 LARGE" 15X15 NO FLNG	1,332kg	300mmx200mmx250mm
13000186	CONF "WHITE GLASS 4 LARGE" 15X15 NO FLNG	1,328kg	300mmx200mmx250mm
13000194	CONFLUO "CERAMIC 4 LARGE" 15X15 NO FLNG	0,910kg	300mmx200mmx250mm



1300 Kaplara br. 189
34301 Bukovik, Aranđelovac
Srbija

office@pestan.net
www.pestan.net

Centrala: +381 (0) 34/700-300
Komerijala: +381 (0) 34/700-336
+381 (0) 34/700-306
+381 (0) 34/700-338