

CONFLUO FRAMELESS LINE GLASS



CONFLUO FRAMELESS LINE GLASS


Peštan Confluo Frameless LINE drain made of polypropylene with ABS grid holder, with no side inlets and one horizontal DN 50mm outlet, minimum installation height of 62mm and flow rate of 48 l/min. Base of the drain without socket with water sealing height of 25mm, with height adjustable reducer for linear drain, feet for height and inclination adjustment and with hair stopper and black or white tempered glass grid.

IMPORTANT TECHNICAL INFORMATION	
Minimum installation height	62mm
Lenghts (sizes represent lenght of grid)	300mm, 450mm, 550mm, 650mm, 750mm, 850mm, 950mm, 1050mm, 1150mm
Width holder of grid/grid	120mm/54mm
Flow rate (by EN 1253)	48 l/min
Outlet	Ø 50mm
The height of the water plug	25mm
Maximum ceramic thickness between holder of grid and grid (numbers describe constructional height, without glue for ceramics)	12mm/14mm
Grid material	Stainless steal AISI 304 (optional AISI 316)
Body material	ABS (holder of grid)/PP (reducer, base)

MAIN ADVANTAGES:

- Minimum installation height - 62mm
- Maximum flow rate - 48 l/min
- ALS - Anti-Leaking System
- Reversible grid - 2 in 1 system
- 360 degrees rotatable self-cleaning S base
- Combined siphon — wet + dry






NOTE: Drain length 300 comes without legs. Drain lengths 450, 550 and 650 come in package with two sets of legs for adjusting of height. Drain lengths 750, 850, 950, 1050 and 1150 come in package with four sets of legs for adjusting of height.

Frameless	300	450	550	650	750	850	950	1050	1150
L1 mm	288		538	638	738	838			
L2 mm	300		550	650	750	850			
L3 mm	346		596	696	796	896			



Code	Name	Weight	Box dimensions
13701210	CONF "FRAMELESS LINE 300 WHITE GLASS"		650mmx170mmx130mm
13701211	CONF "FRAMELESS LINE 450 WHITE GLASS"		650mmx170mmx130mm
13701212	CONF "FRAMELESS LINE 550 WHITE GLASS"	2,455	650mmx170mmx130mm
13701213	CONF "FRAMELESS LINE 650 WHITE GLASS"	2,932	960mmx170mmx130mm
13701214	CONF "FRAMELESS LINE 750 WHITE GLASS"	3,062	960mmx170mmx130mm
13701215	CONF "FRAMELESS LINE 850 WHITE GLASS"	3,435	960mmx170mmx130mm
13701216	CONF "FRAMELESS LINE 950 WHITE GLASS"		1280mmx170mmx130mm
13701217	CONF "FRAMELESS LINE 1050 WHITE GLASS"		1280mmx170mmx130mm
13701218	CONF "FRAMELESS LINE 1150 WHITE GLASS"		1280mmx170mmx130mm

13701201	CONF "FRAMELESS LINE 300 BLACK GLASS"		650mmx170mmx130mm
13701202	CONF "FRAMELESS LINE 450 BLACK GLASS"		650mmx170mmx130mm
13701203	CONF "FRAMELESS LINE 550 BLACK GLASS"	2,441	650mmx170mmx130mm
13701204	CONF "FRAMELESS LINE 650 BLACK GLASS"	2,892	960mmx170mmx130mm
13701205	CONF "FRAMELESS LINE 750 BLACK GLASS"	3,077	960mmx170mmx130mm
13701206	CONF "FRAMELESS LINE 850 BLACK GLASS"	3,421	960mmx170mmx130mm
13701207	CONF "FRAMELESS LINE 950 BLACK GLASS"		1280mmx170mmx130mm
13701208	CONF "FRAMELESS LINE 1050 BLACK GLASS"		1280mmx170mmx130mm
13701209	CONF "FRAMELESS LINE 1150 BLACK GLASS"		1280mmx170mmx130mm



Ultra low S base

