

## CONFLUO FRAMELESS LINE




CONFLUO FRAMELESS LINE  
 CONFLUO FRAMELESS LINE GOLD  
 CONFLUO FRAMELESS LINE BLACK MATTE

Peštan Confluo Frameless Line drains made of polypropylene with ABS grid holder, with no side inlets and one horizontal DN 50mm outlet, minimum installation height of 62mm and flow rate of 48 l/min. Base of the drain without socket with water sealing height of 25mm, with height adjustable reducer for linear drain, feet for height and inclination adjustment and with hair stopper. Stainless steel grid with the possibility of installing tiles, marble or glass in it.

IMPORTANT TECHNICAL INFORMATION	
Minimum installation height	62mm
Lengths (sizes represent length of grid)	300mm, 450mm, 550mm, 650mm, 750mm, 850mm, 950mm
Width holder of grid/grid	120mm/54mm
Flow rate (by EN 1253)	48 l/min
Outlet	Ø 50mm
The height of the water plug	25mm
Maximum ceramic thickness between holder of grid and grid (numbers describe constructional height, without glue for ceramics)	12mm/14mm
Grid material	Stainless steel AISI 304 (optional AISI 316)
Body material	ABS (holder of grid)/PP (reducer, base)

### MAIN ADVANTAGES:

- Minimum installation height - 62mm
- Maximum flow rate - 48 l/min
- ALS - Anti-Leaking System
- Reversible grid - 2 in 1 system
- 360 degrees rotatable self-cleaning S base
- Combined siphon — wet + dry

NOTE: Drain length 300 comes without legs. Drain lengths 450, 550 and 650 come in package with two sets of legs for adjusting of height. Drain lengths 750, 850 and 950 come in package with four sets of legs for adjusting of height.


Frameless	300	450	550	650	750	850	950
L1 mm	288	438	538	638	738	838	938
L2 mm	300	450	550	650	750	850	950
L3 mm	346	496	596	696	796	896	996



Code	Name	Weight	Box dimensions
13701228	CONFLUO "FRAMELESS LINE 300"	1,35	650mmx170mmx130mm
13701229	CONFLUO "FRAMELESS LINE 450"	1,685	650mmx170mmx130mm
13701230	CONFLUO "FRAMELESS LINE 550"	1,859	650mmx170mmx130mm
13701231	CONFLUO "FRAMELESS LINE 650"	2,243	960mmx170mmx130mm
13701232	CONFLUO "FRAMELESS LINE 750"	2,473	960mmx170mmx130mm
13701233	CONFLUO "FRAMELESS LINE 850"	2,563	960mmx170mmx130mm
13701234	CONFLUO "FRAMELESS LINE 950"	3	1280mmx170mmx130mm

13701219	CONFLUO "FRAMELESS LINE 300 GOLD"	1,4	650mmx170mmx130mm
13701220	CONFLUO "FRAMELESS LINE 450 GOLD"		650mmx170mmx130mm
13701221	CONFLUO "FRAMELESS LINE 550 GOLD"	1,864	650mmx170mmx130mm
13701222	CONFLUO "FRAMELESS LINE 650 GOLD"	2,247	960mmx170mmx130mm
13701223	CONFLUO "FRAMELESS LINE 750 GOLD"	2,477	960mmx170mmx130mm
13701224	CONFLUO "FRAMELESS LINE 850 GOLD"	2,567	960mmx170mmx130mm
13701225	CONFLUO "FRAMELESS LINE 950 GOLD"		1280mmx170mmx130mm

13701259	CONF "FRAMELESS LINE 300 MATTE BLACK"	1,45	650mmx170mmx130mm
13701318	CONF "FRAMELESS LINE 450 MATTE BLACK"	1,785	650mmx170mmx130mm
13701319	CONF "FRAMELESS LINE 550 MATTE BLACK"	1959	650mmx170mmx130mm
13701320	CONF "FRAMELESS LINE 650 MATTE BLACK"	2,443	960mmx170mmx130mm
13701321	CONF "FRAMELESS LINE 750 MATTE BLACK"	2,673	960mmx170mmx130mm
13701322	CONF "FRAMELESS LINE 850 MATTE BLACK"	2,763	960mmx170mmx130mm
13701323	CONF "FRAMELESS LINE 950 MATTE BLACK"	3,2	1280mmx170mmx130mm



Ultra low S base

