

PRIMO LINE



PRIMO LINE



Peštan PRIMO LINE drain made of polypropylene with ABS grid holder, with no side inlets and one horizontal DN 50mm outlet, minimum installation height of 52mm and flow rate of 48 l/min. Base of the drain without socket with water sealing height of 25mm, with height adjustable reducer for linear drain, feet for height and inclination adjustment and with hair stopper. Stainless steel grid class K3 with the possibility of installing ceramic tiles, marble or glass in it.

IMPORTANT TECHNICAL INFORMATION	
Minimum installation height	52mm
Lengths (sizes represent length of grid)	300mm, 450mm, 550mm, 650mm, 750mm, 850, 950 mm
Width holder of grid/grid	120mm/55mm
Flow rate (by EN 1253)	48 l/min
Outlet	Ø 50mm
Water seal height	25mm
Maximum ceramic thickness between holder of grid and grid (numbers describe constructional height, without glue for ceramics)	12mm/14mm
Grid load class (by EN 1253)	K3 - withstands 300 kg pressure
Grid material	Stainless steel AISI 304 (optional AISI 316)
Body material	ABS (holder of grid)/PP (reducer, base)

MAIN ADVANTAGES:

- Low installation height - 52mm
- High flow rate - 48 l/min
- Modular and Flexible - 2 in 1 system
- Easy installation & maintenance
- 360° rotatable self-cleaning S base

52 mm	48l/min	2 in 1 system	SC/L	K3
50 outlet	360° base rotation	25 mm	AISI 304	





NOTE: Drains in length of 300, 450, 550 and 650 come in package with two sets of legs for adjusting of height. Drains in length 750, 850 and 950 come in package with four sets of legs for adjusting of height.

L mm	300	450	550	650	750	850	950
L1 mm	298	438	538	638	738	838	938
L2 mm	320	470	570	670	770	870	970
L3 mm	346	496	596	696	796	896	996



Code	Name	Weight	Box dimensions
13701000	PRIMO "LINE 300"	1,377 kg	680mm x 170mm x 130mm
13701001	PRIMO "LINE 450"	1,575 kg	680mm x 170mm x 130mm
13701002	PRIMO "LINE 550"	1,725 kg	680mm x 170mm x 130mm
13701003	PRIMO "LINE 650"	1,997 kg	960mm x 170mm x 130mm
13701004	PRIMO "LINE 750"	2,237 kg	960mm x 170mm x 130mm
13701005	PRIMO "LINE 850"	2,369 kg	960mm x 170mm x 130mm
13701006	PRIMO "LINE 950"	2,648 kg	1280mm x 170mm x 130mm



Ultra low S base



1300 Kaplara 189
34301 Bukovik
Arandjelovac
Serbia

Headquarters +381 (0) 34/700-300
Commercial: +381 (0) 34/700-336
+381 (0) 34/700-306
+381 (0) 34/700-338

office@pestan.net
www.pestan.net